



GENERAL ORDER OF APPROVAL APPLICABILITY WORKSHEET
AUTOMOTIVE REFINISHING OPERATION SPRAY BOOTH

Puget Sound Clean Air Agency

1904 3rd Avenue, Suite 105, Seattle WA 98101

Telephone: 206-343-8800; Fax: 206-343-7522

<www.pscleanair.org>

- 1) Yes No Is the spray booth commercially manufactured and will it be used only for automotive refinishing work?
- 2) Yes No Will the spray booth be installed inside an approved building?
- 3) Yes No Will the spray booth be installed in a location where spray coating is an allowed use in accordance with local Building Department (zoned properly)?
- 4) Yes No Will all spray guns be either high-volume low-pressure (HVLP) or electrostatic?
- 5) Yes No Will the use of coatings and solvents at this booth be less than 700 gallons in any 12 consecutive month period?
- 6) Yes No Will the exhaust stack be 6 feet or more above the highest point of the roof?
- 7) Yes No Will the stack exhaust vertically, without obstruction?
- 8) Yes No Will the exhaust filters be at least 98% efficient at removing particulate?
- 9) Yes No Will the spray booth be equipped with manometer or magnehelic to measure pressure drop across exhaust filters?
- 10) Yes No Will gun cleaning be done in an enclosed cleaner or by disassembling the guns and cleaning gun parts in a bucket?
- 11) Yes No Coatings will not contain chromium, cadmium, or lead. (Review MSDS or contact manufacturer to find answer)
- 12) Yes No Are facility-wide potential emissions below Title V source levels? (See Regulation I, Article 7, <http://www.pscleanair.org/regulated/reg1/reg1.pdf>)
- 13) Yes No If spray coating takes place inside a prep station, the prep station must be treated as a spray booth. If you spray coat in a prep station, will you apply for a separate General Order for the prep station?

Review the answers to questions 1-13. If **ALL** answers are **YES**, the spray booth is eligible for coverage under the General Order. To apply for the General Order, please fill out the **General Order of Approval Application Form** (page 2) and submit the application form, this worksheet, and a **\$500 review fee** to the Puget Sound Clean Air Agency.

If **ANY** of the answers to questions 1-13 are **NO**, then the spray booth is **NOT** eligible for coverage under the General Order. Please submit a Notice of Construction application for case-by-case permit review per Agency Regulation I Section 6.03.

